

# **GnRH-R Rabbit pAb**

CatalogNo: YT1941 Orthogonal Validated 💽

## **Key Features**

Host Species Reactivity Applications
• Rabbit • Human, Mouse • WB, IF, ELISA

MW Isotype
• 37kD (Observed) IgG

### **Recommended Dilution Ratios**

WB 1:500-1:2000 IF 1:200-1:1000 ELISA 1:5000

Not yet tested in other applications.

### **Storage**

**Storage\*** -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

## **Basic Information**

**Clonality** Polyclonal

# Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human GNRHR.

AA range:41-90

**Specificity** GnRH-R Polyclonal Antibody detects endogenous levels of GnRH-R protein.

## | Target Information

#### Gene name

**GNRHR** 

#### **Protein Name**

Gonadotropin-releasing hormone receptor

| Organism | Gene ID       | UniProt ID      |
|----------|---------------|-----------------|
| Human    | <u>2798;</u>  | <u>P30968</u> ; |
| Mouse    | <u>14715;</u> | <u>Q01776</u> ; |

### Cellular Localization


Cell membrane; Multi-pass membrane protein.

**Tissue specificity** Pituitary, ovary, testis, breast and prostate but not in liver and spleen.


### **Function**

Disease: Defects in GNRHR are a cause of fertile eunuch syndrome [MIM:228300]. Fertile eunuch syndrome is a mild phenotypic form of HH going with the presence of normal testicular size and some degree of spermatogenesis., Disease: Defects in GNRHR are a cause of idiopathic hypogonadotropic hypogonadism (IHH) [MIM:146110]. IHH is defined as a deficiency of the pituitary secretion of follicle-stimulating hormone and luteinizing hormone, which results in the impairment of pubertal maturation and of reproductive function., Function: Receptor for gonadotropin releasing hormone (GnRH) that mediate the action of GnRH to stimulate the secretion of the gonadotropic hormones (LH and FSH). This receptor mediates its action by association with G proteins that activate a phosphatidylinositol-calcium second messenger system. Isoform 2 may act a an inhibitor of GnRH-R signaling., similarity: Belongs to the G-protein coupled receptor 1 family., tissue specificity: Pituitary, ovary, testis, breast and prostate but not in liver and spleen.,

### **I** Validation Data



Immunofluorescence analysis of A549 cells, using GNRHR Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from A431 cells, primary antibody was diluted at 1:1000, 4° over night

# | Contact information

order.cn@immunoway.com Orders: support.cn@immunoway.com Support:

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

**GnRH-R Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents