**Applications** 

WB



# **AP2B1** Rabbit pAb

CatalogNo: YT6636

## **Key Features**

**Host Species** Reactivity

 Rabbit · Human, Mouse, Rat

MW Isotype

 103kD (Calculated) IgG

### **Recommended Dilution Ratios**

WB 1:500-2000

## Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

**Clonality** Polyclonal

## Immunogen Information

**Immunogen** Synthesized peptide derived from human AP2B1 AA range: 70-120

**Specificity** This antibody detects endogenous levels of AP2B1 at Human/Mouse/Rat

# | Target Information

AP2B1 ADTB2 CLAPB1 **Gene name** 

#### **Protein Name**

AP2B1

Organism	Gene ID	UniProt ID
Human	<u>163</u> ;	<u>P63010;</u>
Mouse	<u>71770;</u>	Q9DBG3;
Rat	100912146;	<u>P62944;</u>

### Cellular Localization


Cell membrane. Membrane, coated pit; Peripheral membrane protein; Cytoplasmic side. AP-2 appears to be excluded from internalizing CCVs and to disengage from sites of endocytosis seconds before internalization of the nascent CCV.

**Tissue specificity** Expressed in the brain (at protein level).

#### **Function**

Function: Component of the adaptor complexes which link clathrin to receptors in coated vesicles. Clathrin-associated protein complexes are believed to interact with the cytoplasmic tails of membrane proteins, leading to their selection and concentration. AP2B1 is a subunit of the plasma membrane adaptor. The complex binds polyphosphoinositides., similarity: Belongs to the adaptor complexes large subunit family., subcellular location: Component of the coat surrounding the cytoplasmic face of coated vesicles in the plasma membrane., subunit: Adaptor protein complex 2 (AP-2) is an heterotetramer composed of two large adaptins (alpha-type subunit AP2A1 or AP2A2 and beta-type subunit AP2B1), a medium adaptin (mu-type subunit AP2M1) and a small adaptin (sigma-type subunit AP2S1). Binds EPN1, EPS15, SNAP91 and clathrin.,

### Validation Data



Western blot analysis of lysates from HpeG2 cells, primary antibody was diluted at 1:1000, 4° over night

## Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **AP2B1 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents